

**Humboldt-Forschungspreis**  
**Nominierung von Prof. Dr. Robin Beat Gasser**  
**Publikationsliste**

**1987-1995**

- [1] **Gasser RB**, Eckert J and Rohrer L (1987) Isolation of *Giardia* from Swiss cattle and cultivation of trophozoites *in vitro*. *Parasitology Research*. **73** 182-183.
- [2] **Gasser RB**, Eckert J and Rohrer L (1987) Infectivity of Swiss *Giardia* isolates to jirds and mice, and *in vitro* cultivation of trophozoites originating from sheep. *Parasitology Research*. **74** 103-111.
- [3] **Gasser RB** (1987) Infectivity of Swiss *Giardia* isolates to jirds and mice, and *in vitro* cultivation of trophozoites originating from sheep. (German) *Schweizer Archiv für Tierheilkunde*. **129** 376.
- [4] **Gasser RB**, Lightowlers MW, Obendorf DL, Jenkins DJ and Rickard MD 1988. Evaluation of a serological test system for the diagnosis of natural *Echinococcus granulosus* infection in dogs using *E. granulosus* protoscolex and oncosphere antigens. *Australian Veterinary Journal*. **65** 369-373.
- [5] **Gasser RB**, Lightowlers MW and Rickard MD 1989. Identification of protein components of *Echinococcus granulosus* protoscolex antigens for specific serodiagnosis of *E. granulosus* infection in dogs. *Parasite Immunology*. **11** 279-291.
- [6] **Gasser RB**, Lightowlers M. W., Rickard M. D., Lyford R. A. and Dawkins H. J. S. (1990). Serological screening of farm dogs for *Echinococcus granulosus* infection in an endemic region. *Australian Veterinary Journal*. **67** 145-147.
- [7] Jenkins DJ, **Gasser RB**, Zeyhle E, Romig, T and Macpherson CNL (1990) Assessment of a serological test for detection of *Echinococcus granulosus* infection in dogs in Kenya. *Acta Tropica*. **47** 245-248.
- [8] **Gasser RB**, Lightowlers MW and Rickard, MD (1990) A recombinant antigen with potential for serodiagnosis of *E. granulosus* infection in dogs. *International Journal for Parasitology*. **20** 943-950.
- [9] **Gasser RB** (1990) Is giardiasis a zoonosis? *Australian Veterinary Journal*. **67** 456.
- [10] Vizard AL, Anderson GA and **Gasser RB** (1990) Determination of the optimum cut-off value of a diagnostic test. *Preventive Veterinary Medicine*. **9** 137-143.
- [11] **Gasser RB**, Lightowlers MW and Rickard MD (1991) *Echinococcus granulosus*: antigenic proteins in oncospheres and on the surface of protoscolexes identified by serum antibodies from infected dogs. *Research in Veterinary Science*. **50** 340-345.
- [12] Jenkins DJ and **Gasser RB**, Romig T and Zeyhle E (1991) Antibody responses against natural *Taenia hydatigena* infection in dogs in Kenya. *International Journal for Parasitology*. **21** 251-253.
- [13] **Gasser RB**, Morahan G and Mitchell GF (1991) Sexing single larval stages of *Schistosoma mansoni* by polymerase chain reaction. *Molecular and Biochemical Parasitology*. **47** 255-258.
- [14] **Gasser RB** (1992) Sexing schistosome larvae. *Parasitology Today*. **8** 286-288. [INVITED]
- [15] Kim R, **Gasser RB** and Wistow G (1992)  $\mu$ -crystallin is a mammalian homologue of *Agrobacterium* ornithine cyclodeaminase and is expressed in human retina. *Proceedings of the National Academy of Sciences (USA)*. **89** 9292-9296.
- [16] **Gasser RB**, Jenkins DJ, Heath DD and Lawrence SB (1992) Use of *Echinococcus granulosus* worm antigens in ELISA for diagnosis of infection in dogs. *Veterinary Parasitology*. **45** 89-100.
- [17] Huntington PJ, **Gasser RB**, Campbell NJ, Blanch GS and Bidstrup IS (1993) Control of equine internal parasites - Part II: New approaches. *Australian Equine Veterinarian*. **11** 35-43. [INVITED]
- [18] **Gasser RB**, Chilton NB, Hoste H and Beveridge I (1993) Rapid sequencing of rDNA from single worms and eggs of parasitic helminths. *Nucleic Acids Research*. **21** 2525-2526.
- [19] **Gasser RB**, Jenkins DJ, Paolillo E, Parada L, Cabrera P and Craig PS (1993) Serum antibodies in canine echinococcosis. *International Journal for Parasitology*. **23** 579-586.
- [20] O'Donoghue P, **Gasser RB** and Tribe A (1993) New host record for the entodiniomorphid ciliate, *Troglodytella abgrassarti*, from siamangs (*Hylobates syndactylus*). *International Journal for Parasitology*. **23** 415-418.
- [21] Penschow, JD, **Gasser RB**, Darling, PE and Mitchell GF (1993) Female-specific genomic PCR sequences from *Schistosoma mansoni* as probes for hybridization histochemistry. *International Journal for Parasitology*. **23** 407-409.

- [22] Thompson RCA, Robertson ID, **Gasser RB** and Constantine CC (1993) Hydatid disease in Western Australia: A novel approach to education and surveillance. *Parasitology Today*. **9** 431-433. [INVITED]
- [23] Johnston J and **Gasser RB** (1993) Copro-parasitological survey of dogs in southern Victoria. *Australian Veterinary Practitioner*. **23** 127-131.
- [24] **Gasser RB**, Edwards G and Cole RA (1993) Neosporosis in a dog. *Australian Veterinary Practitioner*. **23** 190-193.
- [25] Dennis RD, Baumeister S, Irmer G, **Gasser RB** and Geyer E (1993) Chromatographic and antigenic properties of *Echinococcus granulosus* hydatid cyst-derived glycolipids. *Parasite Immunology*. **15** 669-681.
- [26] Hoste H, **Gasser RB**, Chilton NB, Mallet S and Beveridge I (1993) Lack of intraspecific variation in the second internal transcribed spacer (ITS-2) of *Trichostrongylus colubriformis* ribosomal DNA. *International Journal for Parasitology*. **23** 1069-1071.
- [27] **Gasser RB**, Chilton NB, Hoste H and Stevenson LA (1994) Species identification of trichostrongyle nematodes by PCR-linked RFLP. *International Journal for Parasitology*. **24** 291-293.
- [28] Reichel MP, Lyford, RA and **Gasser RB** (1994) Hyperendemic focus of echinococcosis in north-eastern Victoria. *Medical Journal of Australia*. **160** 499-501.
- [29] **Gasser RB**, Parada L, Acuna A, Burges C, Laurenson MK, Gulland FMD, Reichel MP and Paolillo E (1994) Immunological assessment of exposure to *Echinococcus granulosus* in a rural dog population in Uruguay. *Acta Tropica*. **58** 179-185.
- [30] Pamment D, Beveridge I and **Gasser RB** (1994) The distribution of nematode parasites within the stomach of the western grey kangaroo, *Macropus fuliginosus*. *Transactions of the Royal Society of South Australia*. **118** 187-196.
- [31] Browning GF and **Gasser RB** (1994) Book review on "Biotechnology applied to the diagnosis of animal diseases" *International Journal for Parasitology*. **24** 1069-1070.
- [32] Hoste H, Chilton NB, **Gasser RB** and Beveridge I (1995) Differences in the second internal transcribed spacer (ribosomal DNA) between five species of *Trichostrongylus* (Nematoda: Trichostrongylidae). *International Journal for Parasitology*. **25** 75-80.
- [33] Campbell AJD, **Gasser RB** and Chilton NB (1995) Differences in a ribosomal sequence of *Strongylus* species allows identification of single eggs. *International Journal for Parasitology*. **25** 359-365.
- [34] Stevenson LA, Chilton NB and **Gasser RB** (1995) Differentiation of *Haemonchus placei* from *H. contortus* (Nematoda: Trichostrongylidae) by the ribosomal second internal transcribed spacer. *International Journal for Parasitology*. **25** 483-488.
- [35] Chilton NB, **Gasser RB** and Beveridge I (1995) Differences in a ribosomal DNA sequence of morphologically indistinguishable species within the *Hypodontus macropi* complex (Nematoda: Strongyloidea). *International Journal for Parasitology*. **25** 647-651.
- [36] Bucknell D, **Gasser RB** and Beveridge I (1995) The prevalence and epidemiology of gastrointestinal parasites of horses in Victoria. *International Journal for Parasitology*. **25** 711-724.
- [37] Lindsay DS, **Gasser RB**, Harrigan KE, Madill D and Blagburn BL (1995) Central nervous system toxoplasmosis in roller canaries. *Avian Diseases*. **39** 204-207.
- [38] Craig PS, **Gasser RB**, Parada L, Cabrera P, Parietti S, Borgues C, Acuttis A, Agulla J, Snowden K and Paolillo E (1995) Diagnosis of canine echinococcosis: comparison of coproantigen and serum antibody tests with arecoline purgation. *Veterinary Parasitology*. **56** 293-301.
- [39] **Gasser RB** and Chilton NB (1995) Characterisation of taeniid cestode species by PCR-RFLP of ITS2 ribosomal DNA. *Acta Tropica*. **59** 31-40.
- [40] Martin RM, **Gasser RB**, Jones M and Lightowlers MW (1995) Identification and characterisation of myophilin, a muscle-specific antigen of *Echinococcus granulosus*. *Molecular and Biochemical Parasitology*. **70** 139-148.
- [41] **Gasser RB** and Hoste H (1995) Genetic markers for closely-related parasitic nematodes. *Molecular and Cellular Probes*. **9** 315-320.
- [42] **Gasser, RB**, Nansen P and Bogh HO (1995) Specific fingerprinting of parasites by PCR with single primers to defined repetitive elements. *Acta Tropica*. **60** 127-131.
- 1996**
- [43] Reichel MP, Baber DJ, Craig PS and **Gasser RB** (1996) Cystic echinococcosis in the Falkland Islands. *Preventive Veterinary Medicine*. **27** 115-123.
- [44] **Gasser R**, Nansen P and Guldberg P (1996) Fingerprinting sequence variation in ribosomal DNA of parasites by DGGE. *Molecular and Cellular Probes*. **10** 99-105.

- [45] **Gasser RB**, Qian Bao-Zhen, Nansen P, Johansen MV and Bogh HO (1996) Use of RAPD for the detection of genetic variation in the human blood fluke, *Schistosoma japonicum*, from mainland China. *Molecular and Cellular Probes*. **10**, 353-358.
- [46] Bucknell DG, Hoste H, **Gasser RB** and Beveridge I. (1996) The structure of the community of strongyloid nematodes of domestic equids. *Journal of Helminthology*. **70** 185-192.
- [47] **Gasser RB**, Stevenson LA, Chilton NB, Nansen P, Bucknell DG and Beveridge I. (1996) Species markers for equine strongyles detected in intergenic spacer rDNA by PCR-RFLP. *Molecular and Cellular Probes*. **10** 371-378.
- [48] Martin RM, Colebrook AL, **Gasser RB** and Lightowlers MW (1996) Antibody responses of patients with cystic hydatid disease to recombinant myophilin of *Echinococcus granulosus*. *Acta Tropica*. **61** 307-314.
- [49] Stevenson LA, **Gasser RB** and Chilton NB (1996) The ITS2 rDNA of *Teladorsagia circumcincta*, *T. trifurcata* and *T. davtiani* (Nematoda: Trichostrongylidae) indicates that these taxa are one species. *International Journal for Parasitology*. **26** 1123-1126.
- [50] **Gasser RB**, Stewart LE and Speare R (1996) Genetic markers in ribosomal DNA for hookworm identification. *Acta Tropica*. **62** 15-21.
- [51] Iburg T, **Gasser RB** and Henriksen SA (1996) First record of *Giardia* in cattle in Denmark. *Acta Veterinaria Scandinavica*. **37** 337-341.
- [52] **Gasser RB**, LeGoff L, Petit G and Bain O (1996) Rapid delineation of closely-related filarial parasites using genetic markers in spacer rDNA. *Acta Tropica*. **62** 143-150.
- [53] Hung GC, Jacobs DE, Krecek RS, **Gasser RB** and Chilton NB (1996) *Strongylus asini* (Nematoda, Strongyloidea): genetic relationships with other *Strongylus* species determined by ribosomal DNA. *International Journal for Parasitology*. **26** 1407-1411.

#### 1997

- [54] Ersfeld K, **Gasser RB** and Craig PS (1997) The immunodiagnostic potential of *Echinococcus granulosus* worm antigens in human cystic echinococcosis. *Parasitology Research*. **83** 90-92.
- [55] Chilton NB, Hoste H, Hung GC, Beveridge I and **Gasser RB** (1997) The 5.8S rDNA sequences of 18 species of bursate nematodes (Order Strongylida): comparison with rhabditid and tylenchid nematodes. *International Journal for Parasitology*. **27** 119-124.
- [56] Hung GC, Chilton NB, Beveridge I, McDonnell A., Lichtenfels JR and **Gasser RB** (1997) Molecular delineation of *Cylicocyclus nassatus* and *C. ashworthi* (Nematoda: Strongylidae). *International Journal for Parasitology*. **27** 601-605.
- [57] Romstad A, **Gasser RB**, Polderman AM, Nansen P, Pit DSS and Chilton NB (1997) Differentiation of *Oesophagostomum bifurcum* from *Necator americanus* by PCR using genetic markers in spacer ribosomal DNA. *Molecular and Cellular Probes*. **11** 169-176.
- [58] Newton LA, Chilton NB, Monti JR, Bjorn H, Varady M, Christensen CM and **Gasser RB** (1997) Rapid PCR-based delineation of the porcine nodular worms, *Oesophagostomum dentatum* and *O. quadrispinulatum*. *Molecular and Cellular Probes*. **11** 149-153.
- [59] Chilton NB, Beveridge I, Hoste H and **Gasser RB** (1997) Evidence for hybridisation between *Paramacropostrongylus iugalis* and *P. typicus* (Nematoda: Strongyloidea) in grey kangaroos, *Macropus fuliginosus* and *M. giganteus* in eastern Australia. *International Journal for Parasitology*. **27**: 475-482.
- [60] Martin RM, Csar XF, **Gasser RB**, Felleisen R and Lightowlers MW (1997) Myophilin of *Echinococcus granulosus*: isoforms and phosphorylation by protein kinase C. *Parasitology* **115**, 205-211.
- [61] **Gasser RB** and Monti JR (1997) Identification of parasitic nematodes by PCR-SSCP. (1997) *Molecular and Cellular Probes*. **11** 201-209.
- [62] **Gasser RB**, Monti JR, Zhu X, Chilton NB, Hung GC and Guldberg P (1997) Polymerase chain reaction-linked single-strand conformation polymorphism of ribosomal DNA to fingerprint parasites. *Electrophoresis*. **18** 1564-1566.
- [63] Bucknell D, **Gasser RB**, Irving A and Whithear K (1997) Antimicrobial resistance in *Salmonella* and *Escherichia coli* isolated from horses. *Australian Veterinary Journal*. **75** 355-356.
- [64] Romstad A, **Gasser RB**, Nansen P, Polderman AM, Monti JR and Chilton NB. (1997) Characterization of *Oesophagostomum bifurcum* and *Necator americanus* by PCR-RFLP of rDNA. *Journal of Parasitology*. **83** 963-966.
- [65] Jacobs, DE, Zhu X, **Gasser RB** and Chilton NB (1997) PCR-based methods for identification of potentially zoonotic ascaridoid parasites of the dog, fox and cat. *Acta Tropica* **68** 191-200.
- [66] Barber JS, **Gasser RB**, Ellis J, Reichel MP, McMillan D and Trees AJ (1997) Prevalence of antibodies to *Neospora caninum* in different canid populations. *Journal of Parasitology* **83**, 1056-1058

- [67] Williamson RMC, **Gasser RB**, Middleton D and Beveridge I (1997) The distribution of *Anoplocephala perfoliata* in the intestine of the horse and associated pathological changes. *Veterinary Parasitology* **73** 225-241.
- [68] Segovia L, Horwitz J, **Gasser RB** and Wistow G (1997) Two Roles for  $\mu$ -Cristallin: A Lens Structural Protein in Diurnal Marsupials and a Possible Enzyme in Mammalian Retinas. *Molecular Vision*. 3:9 <<http://www.emory.edu/molvis/v3/segovia>>.
- [69] Martin RM, Chilton NB, Lightowlers MW and **Gasser RB** (1997) *Echinococcus granulosus* myophilin - relationship with protein homologues containing 'calponin motifs'. *International Journal for Parasitology*. **27** 1561-1567.
- [70] **Gasser RB** (1997) Mutation scanning methods for the analysis of parasite genes. *International Journal for Parasitology* **27** 1449-1463.
- [71] Chilton NB, **Gasser RB** and Beveridge I (1997) Phylogenetic relationships of Australian strongyloid nematodes inferred from ribosomal DNA sequence data. *International Journal for Parasitology* **27** 1481-1494.

## 1998

- [72] Newton LA, Chilton NB, Beveridge I, Hoste H, Nansen P and **Gasser RB** (1998) Genetic markers for strongylid nematodes of livestock defined by PCR-based restriction analysis of spacer rDNA. *Acta Tropica*. **69** 1-15.
- [73] Newton LA, Chilton NB, Beveridge I and **Gasser RB** (1998) Genetic evidence indicating that *Cooperia surnabada* and *Cooperia oncophora* are one species. *International Journal for Parasitology*. **28** 331-336.
- [74] Newton LA, Chilton NB, Beveridge I and **Gasser RB** (1998) Differences in the second internal transcribed spacer of four *Nematodirus* species (Nematoda: Molineidae). *International Journal for Parasitology*. **28** 337-341.
- [75] **Gasser RB**, Zhu X, Monti, JR, Dou L, Cai X and Pozio E (1998) PCR-SSCP of rDNA for the identification of *Trichinella* isolates from mainland China. *Molecular and Cellular Probes*. **12** 27-34.
- [76] Romstad A, **Gasser RB**, Nansen P, Polderman AM and Chilton NB (1998) *Necator americanus* (Strongylida: Ancylostomatidae) from Africa and Malaysia have different ITS-2 rDNA sequences. *International Journal for Parasitology*. **28** 611-615.
- [77] Zhu X, **Gasser RB** and Chilton NB (1998) Differences in the 5.8S sequences among ascarid nematodes. *International Journal for Parasitology*. **28** 617-622.
- [78] **Gasser RB** (1998) "What's in that band?" *International Journal for Parasitology*. **28** 989-996.
- [79] **Gasser RB**, Monti JR, Qian Bao-Zhen, Polderman AM, Nansen P and Chilton NB (1998) A mutation scanning approach for the identification of hookworm species and analysis of population variation. *Molecular and Biochemical Parasitology*. **92** 303-312.
- [80] Zhu X, Chilton NB and **Gasser RB** (1998) Detection of sequence variation in parasite ribosomal DNA by electrophoresis in agarose gels supplemented with a DNA-intercalating agent. *Electrophoresis* **19** 671-674.
- [81] Monti JR, Chilton NB, Qian B-Z and **Gasser RB** (1998) Specific amplification of *Necator americanus* or *Ancylostoma duodenale* DNA by PCR using markers in ITS-1 rDNA, and its implications. *Molecular and Cellular Probes*. **12**, 71-78.
- [82] Hoste H, Chilton NB, Beveridge I and **Gasser RB** (1998) A comparison of the first internal transcribed spacer of ribosomal DNA in seven species of *Trichostrongylus* (Nematoda: Trichostrongylidae). *International Journal for Parasitology*. **28** 1251-1260.
- [83] Zhu XQ, Jacobs DE, Chilton NB, Sani RA, Cheng NABY and **Gasser RB** (1998) Molecular characterization of a *Toxocara* variant from cats in Kuala Lumpur, Malaysia. *Parasitology*. **117** 155-164.
- [84] Zhu XQ and **Gasser RB** (1998) Single-strand conformation polymorphism (SSCP)-based mutation scanning approaches to fingerprint sequence variation in ribosomal DNA of ascaridoid nematodes. *Electrophoresis*. **19** 1366-1373.
- [85] Chilton NB, Hoste H, Newton LA, Beveridge I and **Gasser RB** (1998) Common secondary structures for the second internal transcribed spacer pre-rRNA of two subfamilies of trichostrongylid nematodes. *International Journal for Parasitology*. **28** 1765-1773.
- [86] **Gasser RB**, Zhu XQ and McManus DP (1998) Dideoxy fingerprinting: application to the genotyping of *Echinococcus*. *International Journal for Parasitology*. **28** 1775-1779.
- [87] **Gasser RB**, Woods WG and Bjørn H. (1998) PCR-based SSCP to distinguish *Oesophagostomum dentatum* from *O. quadrispinulatum* developmental stages. *International Journal for Parasitology*. **28** 1903-1909.
- [88] **Gasser RB**, Zhu XQ and McManus DP (1998) Display of sequence variation in PCR-amplified

- mitochondrial DNA regions of *Echinococcus* by single-strand conformation polymorphism. *Acta Tropica*. **71** 107-115.
- [89] Williamson RMC, Beveridge I and **Gasser RB** (1998) Coprological methods for the diagnosis of *Anoplocephala perfoliata* infection of the horse. *Australian Veterinary Journal*. **76** 11-14.
- [90] **Gasser RB**, Zhu XQ, Chilton NB, Newton LA, Nedergaard T and Guldborg P (1998) Analysis of sequence homogenisation in rDNA arrays of *Haemonchus contortus* by DGGE. *Electrophoresis*. **19** 2391-2395.
- [91] Newton LA, Chilton NB, Beveridge I and **Gasser RB** (1998) Systematic relationships of some members of the genera *Oesophagostomum* and *Chabertia* (Nematoda: Chabertiidae) based on ribosomal DNA sequence data. *International Journal for Parasitology*. **28** 1781-1789.
- [92] Cohen H, Paolillo E, Bonifacino R, Botta B, Parada L, Cabrera P, Snowden K, **Gasser R**, Tessier R, Dibarboure L, Wen H, Allan JC, De Alfaro HS, Rogan MT and Craig PS (1998) Human cystic echinococcosis in a Uruguayan community: a sonographic, serologic, and epidemiologic study. *American Journal of Tropical Medicine and Hygiene*. **59** 620-627.
- [93] Zhu XQ, Podolska M, Chilton NB and **Gasser RB** (1998) Characterisation of anisakid nematodes with zoonotic potential by nuclear ribosomal DNA sequences. *International Journal for Parasitology*. **28** 1911-1921.
- [94] Sørensen E, Drew AC, Brindley PJ, Bøgh HO, **Gasser RB**, Qian BZ, Chiping Q, McManus DP (1998) Variation in the sequence of a mitochondrial NADH dehydrogenase I gene fragment among six natural populations of *Schistosoma japonicum* from China. *International Journal for Parasitology*. **28** 1931-1934.
- 1999**
- [95] Bøgh HO, Zhu XQ, Qian B-Z and **Gasser RB** (1999) Scanning for nucleotide variations in mitochondrial DNA fragments of *Schistosoma japonicum* by single-strand conformation polymorphism. *Parasitology*. **118** 73-82.
- [96] Hung GC, Chilton NB, Beveridge I and **Gasser RB** (1999) Molecular evidence for cryptic species within *Cylicostephanus minutus* (Nematoda: Strongylidae). *International Journal for Parasitology*. **29** 285-291.
- [97] Zhu XQ, Chilton NB, Jacobs DE, Boes J and **Gasser RB** (1999) Characterisation of *Ascaris* from human and pig hosts by nuclear ribosomal DNA sequences. *International Journal for Parasitology*. **29** 469-478.
- [98] Hung GC, **Gasser RB**, Beveridge I and Chilton NB (1999) Species-specific amplification by PCR of ribosomal DNA from some equine strongyles. *Parasitology* **119** 69-80.
- [99] **Gasser RB** (1999) PCR-based technology in veterinary parasitology. *Veterinary Parasitology*. **84** 229-258. [INVITED].
- [100] **Gasser RB** and Zhu XQ (1999) Sequence-based analysis of DNA fragments by mutation detection techniques. *Parasitology Today* 15, 462-465. [INVITED].
- [101] **Gasser RB**, Woods WG, Huffman MA, Blotkamp J, Polderman AM (1999) Molecular separation of *Oesophagostomum stephanostomum* and *Oesophagostomum bifurcum* (Nematoda: Strongyloidea) from non-human primates. *International Journal for Parasitology* **29** 1087-1091.
- [102] **Gasser RB**, Woods WG, Blotkamp J, Verweij J, Storey PA, Polderman AM. Screening for nucleotide variations in ribosomal DNA arrays of *Oesophagostomum bifurcum* by PCR-coupled single-strand conformation polymorphism. *Electrophoresis*. **20** 1486-1491.
- [103] **Gasser RB** and O'Donoghue P (1999) Isolation, propagation and characterisation of *Cryptosporidium*. *International Journal for Parasitology*. **29**, 1379-1413. [INVITED].
- [104] Zhang L-H, **Gasser RB**, Zhu XQ, McManus DP (1999) Screening for different genotypes of *Echinococcus granulosus* within China and Argentina by SSCP-sequencing. *Transactions of the Royal Society of Tropical Medicine and Hygiene* **93** 329-334.
- [105] Zhu XQ and **Gasser RB** (1999) PCR-based technology in parasitology (a review). *Chinese Journal of Veterinary Science and Technology*. **29** 14-20.
- [106] **Gasser RB**, Zhu XQ and Woods WG (1999) Genotyping *Taenia* tapeworms by single-strand conformation polymorphism of mitochondrial DNA. *Electrophoresis*. **20**, 2834-2837.
- [107] Zhu XQ, Bøgh HO and **Gasser RB** (1999) Dideoxy fingerprinting of low-level nucleotide variation in mitochondrial DNA of the human blood fluke, *Schistosoma japonicum*. *Electrophoresis* **20**, 2830-2833.
- [108] **Gasser RB**, Rossi L and Zhu XQ (1999) Identification of *Nematodirus* species (Nematoda: Molineidae) from wild ruminants in Italy using genetic markers in ribosomal DNA. *International Journal for Parasitology* **29**, 1809-1817.
- [109] **Gasser RB**, Zhu XQ and McManus (1999) NADH dehydrogenase subunit 1 and cytochrome c oxidase subunit I sequences compared for members of the genus *Taenia* (Cestoda). *International*

*Journal for Parasitology*. 29 1971-1977.

- [110] Conole J, Chilton NB, Jarvis T and **Gasser RB** (1999) Intraspecific and interspecific variation in the second internal transcribed spacer sequence for *Metastrongylus* (Nematoda: Metastrongyloidea) detected by high resolution PCR-RFLP. *International Journal for Parasitology*. 29 1941-1947.
- [111] Hung G-C, Chilton NB, Beveridge I and **Gasser RB** (1999) Secondary structure model for the ITS-2 precursor rRNA of strongyloid nematodes of equids: implications for phylogenetic inference. *International Journal for Parasitology*. 29 1949-1964.
- [112] Chilton NB and **Gasser RB** (1999) Sequence differences in the internal transcribed spacer rDNA among four species of hookworm (Ancylostomatoidea: *Ancylostoma*). *International Journal for Parasitology*. 29 1971-1977.

## 2000

- [113] Hung G-C, Chilton NB, Beveridge I and **Gasser RB** (2000) A molecular systematic framework for equine strongyles based on DNA sequence data. *International Journal for Parasitology* 30 95-103.
- [114] Verweij J, Polderman AM, Wimmenhove MC and **Gasser RB** (2000) PCR assay for the specific amplification of *Oesophagostomum bifurcum* DNA from human faeces. *International Journal for Parasitology* 30 137-142.
- [115] van Herwerden L, **Gasser RB** and Blair D (2000) ITS-1 ribosomal DNA sequence variants are maintained in different species and strains of *Echinococcus* (Platyhelminthes: Cestoda). *International Journal for Parasitology*. 30 157-169.
- [116] **Gasser RB** and Newton SE (2000) Genomic and genetic research on bursate nematodes: significance, implications and prospects. *International Journal for Parasitology* 30 509-534. [INVITED]
- [117] Boag PR, Newton SE, Hansen N-P, Christensen, CM, Nansen P and **Gasser RB** (2000) Isolation and characterization of sex-specific transcripts from *Oesophagostomum dentatum* by RNA arbitrarily primed PCR. *Molecular and Biochemical Parasitology*. 108 217-224.
- [118] Zhu XQ, D'Amelio S, Paggi L and **Gasser RB** (2000) Assessing sequence variation in the internal transcribed spacers of ribosomal DNA within and among members of the *Contraecum osculatum* complex (Nematoda: Ascaridoidea: Anisakidae). *Parasitology Research*. 86 677-683.
- [119] Zhu XQ, **Gasser RB**, Jacobs DE, Hung G-C and Chilton NB (2000) Relationships among some ascaridoid nematodes based on ribosomal DNA sequence data. *Parasitology Research*. 86 738-744.
- [120] Woods WG, Richards DG, Whithear KG, Anderson GR, Jorgensen W and **Gasser RB** (2000) High-resolution electrophoretic procedures for the identification of five *Eimeria* species from chickens and detection of population variation. *Electrophoresis*. 21 3558-3563.
- [121] Zhu XQ, Spratt DM, Beveridge I, Haycock P and **Gasser RB** (2000) Analysis of mitochondrial DNA polymorphism within and among species of *Capillaria sensu lato* from Australian marsupials and rodents. *International Journal for Parasitology*. 30 933-938.
- [122] Woods WG, Richards DG, Whithear KG, Anderson GR, Jorgensen W and **Gasser RB** (2000) Single-strand restriction fragment length polymorphism analysis of the second internal transcribed spacer (ribosomal DNA) for six species of *Eimeria* (Coccidia) from chickens in Australia. *International Journal for Parasitology*. 30 1019-1023.

## 2001

- [123] **Gasser RB** (2001) Identification of parasitic nematodes and study of genetic variability using PCR approaches. (Chapter 4) In: Parasitic Nematodes: Molecular Biology, Biochemistry and Immunology. Kennedy, M.W. and Harnett W., Eds, CAB Publishers. pp. 53-82. [INVITED]
- [124] **Gasser RB** (2001) Molecular taxonomic, diagnostic and genetic studies of parasitic helminths. *International Journal for Parasitology* [Bancroft Mackerras Medal - Oration]. *International Journal for Parasitology*. 31 860-864.
- [125] Conole JC, Chilton NB, Jarvis T and **Gasser RB** (2001) Mutation scanning analysis of microsatellite variability in the ITS-2 (precursor rRNA) for three species of *Metastrongylus* (Nematoda: Metastrongyloidea). *Parasitology*. 122 195-206.
- [126] **Gasser RB**, Zhu XQ, Caccio S, Chalmers R, Widmer G, Morgan U, Thompson RCA, Pozio E and Browning G.F. (2001) Genotyping *Cryptosporidium parvum* by single-strand conformation polymorphism analysis of ribosomal and heat shock gene regions. *Electrophoresis*. 22 433-437.
- [127] Hu M, D'Amelio S, Zhu XQ, Paggi L and **Gasser RB** (2001) Mutation scanning analysis of sequence variability in three mitochondrial DNA regions for members of the *Contraecum*

- osculatum* (Nematoda: Ascaridoidea) complex. *Electrophoresis*. **22** 1069-1075.
- [128] Eckert J, Schantz PM, **Gasser RB**, Torgerson P, Bessonov AS, Movsessian SO, Thakur A, Grimm F and Nikogossian MA. (2001) Chapter 4: Geographic distribution and prevalence. In: WHO/OIE Manual on Echinococcosis in Humans and Animals: A Public Health Problem of Global Concern. pp. 100-142.
- [129] **Gasser RB**, Zhu XQ, Beveridge I and Chilton NB (2001) Mutation scanning analysis of sequence heterogeneity in the second internal transcribed spacer (rDNA) within some members of the *Hypodontus macropi* (Nematoda: Strongyloidea) complex. *Electrophoresis* **22** 1076-1085.
- [130] Zhu XQ, **Gasser RB**, Chilton NB and Jacobs DE (2001) Molecular approaches for studying ascaridoid nematodes with zoonotic potential, with an emphasis on *Toxocara* species. *Journal of Helminthology*. **75** 101-108. [INVITED].
- [131] Chilton NB, Newton LA, Beveridge I and **Gasser RB** (2001) Evolutionary relationships of trichostrongyloid nematodes (Strongylida) inferred from ribosomal DNA sequence data. *Molecular Phylogenetics and Evolution*. **19** 367-386.
- [132] Morgan UM, Monis PT, Xiao L, Limor J, Sulaiman I, Radial S, O'Donoghue P, **Gasser RB**, Murray A, Fayer R, Blagburn B, Lal AA and Thompson RCA. (2001) Molecular and phylogenetic characterisation of *Cryptosporidium* from birds. *International Journal for Parasitology*. **31** 289-296.
- [133] **Gasser RB**, Chilton NB (2001) Applications of single-strand conformation polymorphism (SSCP) to taxonomy, diagnosis, population genetics and molecular evolution of parasitic nematodes. *Veterinary Parasitology* **101** 201-213. [INVITED].
- [134] Huby-Chilton F, Beveridge I, **Gasser RB** and Chilton NB (2001) Single-strand conformation polymorphism analysis of genetic variation in *Labiostongylus longispicularis* from kangaroos. *Electrophoresis*, **22** 1925-1929.
- [135] Zhu XQ, D'Amelio S., Hu M, Paggi L and **Gasser RB** (2001). Electrophoretic detection of population variation within *Contraecum ogorhini* (Nematoda: Ascaridoidea: Anisakidae). *Electrophoresis* **22** 1930-1934.
- [136] Verweij JJ, Pit DSS, van Lieshout L, Baeta SM, Dery GD, **Gasser RB**, Polderman AM. (2001) Determining the prevalence of *Oesophagostomum bifurcum* and *Necator americanus* infections using specific PCR amplification of DNA from faecal samples. *Tropical Medicine and International Health* **6** 726-731.
- [137] Boag PR, Newton SE and **Gasser RB**. (2001) Molecular aspects of sexual development and reproduction in nematodes and schistosomes. *Advances in Parasitology*. **50** 153-198.
- [138] **Gasser RB**, Woods WG, Wood JM, Ashdown L, Richards DG and Whithear KG (2001) Automated, fluorescence-based approach for the specific diagnosis of chicken coccidiosis. *Electrophoresis*. **22** 3546-3550.

## 2002

- [139] Hu M, Chilton NB and **Gasser RB**. (2002) The mitochondrial genomes of the two human hookworms. *International Journal for Parasitology* **32**, 145-158.
- [140] Hu M, Chilton NB, Zhu XQ and **Gasser RB** (2002) Single strand conformation polymorphism-based analysis of mitochondrial cytochrome *c* oxidase subunit 1 reveals significant substructuring in hookworm populations. *Electrophoresis* **23**, 27-34.
- [141] Huby-Chilton F, Beveridge I, **Gasser RB** and Chilton NB (2002) Redescription of *Zoniolaimus mawsonae* Beveridge, 1983 (Nematoda: Strongyloidea) and the description of *Z. latebrosus* n. sp. from the red kangaroo, *Macropus rufus* (Marsupialia: Macropodidae) based on morphological and molecular data. *Systematic Parasitology* **51**, 135-147.
- [142] Chilton NB, Huby-Chilton F, **Gasser RB**, Beveridge I. (2002) Review of *Papillostrongylus* Johnston & Mawson, 1939 (Nematoda : Strongyloidea) from wallabies and kangaroos (Marsupialia: Macropodidae) using morphological and molecular techniques, with the description of *P. barbatus* n. sp. *Systematic Parasitology* **51**, 81-93.
- [143] **Gasser RB**, Zhu XQ and Chilton NB (2002) The value of mutation scanning approaches for detecting genetic variation - implications for studying intestinal nematodes of humans. (Chapter 13) In: World Class Parasites: Volume 2. The Geohelminths: *Ascaris*, *Trichuris* and Hookworm (Edited by Celia V. Holland and Malcolm W. Kennedy; Series Editors Samuel Black and J. Richard Seed), pages 219-233, Kluwer Academic Press, Boston.
- [144] Newton SE, Boag PR and **Gasser RB** (2002) Opportunities and prospects for investigating developmentally regulated and sex-specific genes and their expression in intestinal nematodes of humans. In: World Class Parasites: Volume 2. The Geohelminths: *Ascaris*, *Trichuris* and Hookworm (Edited by Celia V. Holland and Malcolm W. Kennedy; Series Editors Samuel Black and J. Richard Seed), pages 219-233, Kluwer Academic Press, Boston.), pages 235-268.

[INVITED].

- [145] Nikolaou A, Hartman D, Presidente PJA, Newton SE and **Gasser RB** (2002) HcSTK, a *Caenorhabditis elegans* PAR-1 homologue from the parasitic nematode, *Haemonchus contortus*. *International Journal for Parasitology*. **32**, 749-758.
- [146] Zhu XQ, D'Amelio S, Palm H, Paggi L, George-Nascimento M. and **Gasser RB**. (2002) SSCP-based identification of members within the *Pseudoterranova decipiens* complex (Nematoda: Ascaridoidea: Anisakidae) using genetic markers in the internal transcribed spacers of ribosomal DNA. *Parasitology*. **124**, 615-623.
- [147] Zhu XQ, Beveridge I, Berger L, Barton D and **Gasser RB** (2002) Single-strand conformation polymorphism-based analysis reveals genetic variation within *Spirometra erinacei* (Cestoda: Pseudophyllidea) from Australia. *Molecular and Cellular Probes* **16**, 159-165.
- [148] de Gruijter JM, Polderman AM, Zhu XQ and **Gasser RB** (2002) Screening for haplotypic variability within *Oesophagostomum bifurcum* (Nematoda) employing a single-strand conformation polymorphism approach *Molecular and Cellular Probes* **16**, 185-190.
- [149] Hu M, Chilton NB and **Gasser RB** (2002) Long PCR-based amplification and sequencing of the entire mitochondrial genome from parasitic nematodes. *Molecular and Cellular Probes* **16**, 261-267.
- [150] **Gasser RB**, Beveridge I, Sangster NC, Coleman G (2002) Veterinary parasitology teaching in eastern Australia. *Veterinary Parasitology* **108**, 295-307. [INVITED].
- [151] Boag PR, Ranganathan S, Newton SE, **Gasser RB** (2002) A male-specific (cysteine-rich) protein of *Oesophagostomum dentatum* (Strongylida) with structural characteristics of a serine protease inhibitor containing two trypsin inhibitor-like domains. *Parasitology* **125**, 445-455.
- [152] Hu M, Höglund J, Chilton NB, Zhu XQ and **Gasser RB** (2002) Mutation scanning analysis of mitochondrial cytochrome *c* oxidase subunit 1 reveals limited gene flow among bovine lungworm subpopulations in Sweden. *Electrophoresis* **23**, 3357-3363.

## 2003

- [153] Chilton NB, Huby-Chilton F, **Gasser RB** (2003) First complete large subunit rRNA sequence and secondary structure for a parasitic nematode - phylogenetic and diagnostic implications. *Molecular and Cellular Probes* **17**, 33-39.
- [154] Boag PR, **Gasser RB**, Nisbet AJ, Newton SE (2003) Genomics of reproduction in parasitic nematodes – fundamental and biotechnological implications. *Biotechnology Advances* **21**, 103-108.
- [155] Boag PR, Ren P, Newton SE, **Gasser RB** (2003) Molecular characterisation of a serine/threonine phosphatase of *Oesophagostomum dentatum*, and functional analysis of homologues in *Caenorhabditis elegans*. *International Journal for Parasitology* **33**, 313–325.
- [156] Hu M, **Gasser RB**, Abs EL-Osta YG and Chilton NB (2003) Structure and organisation of the mitochondrial genome of *Dirofilaria immitis*. *Parasitology* **127**, 37-51.
- [157] **Gasser RB**, Abs EL-Osta YG, Chalmers RM (2003) Electrophoretic analysis of genetic variability within *Cryptosporidium parvum* from imported and autochthonous cases of cryptosporidiosis in the United Kingdom. *Applied and Environmental Microbiology* **69**, 2719--2730.
- [158] Abs EL-Osta YG, Chalmers RM and **Gasser RB** (2003) Survey of *Cryptosporidium parvum* genotypes in humans from the UK by mutation scanning of a heat shock protein gene region. *Molecular and Cellular Probes* **17**, 127-134.
- [159] Peng W, Zhou X and **Gasser RB** (2003) Faecal egg profiles of *Ascaris* from humans: biological and epidemiological implications. *Parasitology* **127**, 283-290.
- [160] Peng W, Yuan K, Zhou X, Hu M and **Gasser RB** (2003) Molecular-epidemiological study of *Ascaris* genotypes in China based on single strand conformation polymorphism analysis of ribosomal DNA. *Electrophoresis* **24**, 2308-2315.
- [161] Hu M, Chilton NB Abs EL-Osta YG and **Gasser RB** (2003) Comparative analysis of mitochondrial genome data for *Necator americanus* from two endemic regions reveals substantial genetic variation. *International Journal for Parasitology* **33**, 955-963.
- [162] Hu M, Chilton NB and **Gasser RB** (2003) The mitochondrial genome of *Strongyloides stercoralis* (Rhabditida) – idiosyncratic gene order, and evolutionary implications. *International Journal for Parasitology* **33**, 1393-1408.

## 2004

- [163] Hu M, Chilton NB and **Gasser RB** (2004) The mitochondrial genomics of parasitic nematodes of socio-economic importance: recent progress, and implications for population genetics and



- systematics studies. *Advances in Parasitology* 56, 133-212.
- [164] Nisbet AJ, Cottee P and **Gasser RB** (2004) Molecular biology of reproduction and development in parasitic nematodes – progress and opportunities. *International Journal for Parasitology* 34, 125-138.
- [165] Kleeman S, Adlard R, Zhu XQ and **Gasser RB** (2004) Mutation scanning analysis of *Marteilia sydneyi* populations from different geographical locations in eastern Australia. *Molecular and Cellular Probes* 18, 133-138.
- [166] **Gasser RB**, Hung G-C, Chilton NB and Beveridge I (2004) Advances in developing molecular-diagnostic tools for strongyloid nematodes of equids: fundamental and applied implications. *Molecular and Cellular Probes* 18, 3-16.
- [167] Hutson KS, Styan CA, Beveridge I, Keough MJ, Zhu XQ, Abs EL-Osta YG and **Gasser RB** (2004) Elucidating the ecology of bucephalid parasites using a mutation scanning approach. *Molecular and Cellular Probes* 18, 139-146.
- [168] Johnson M, Abs EL-Osta YG, Hu M and **Gasser RB** (2004) An electrophoretic tool for the genetic characterisation and delineation of lungworms. *Molecular and Cellular Probes*. 197-203.
- [169] Nisbet AJ and **Gasser RB** (2004) Profiling of gender-specific gene expression for *Trichostrongylus vitrinus* (Nematoda: Strongylida) by microarray analysis of expressed sequence tag libraries constructed by suppressive-subtractive hybridisation. *International Journal for Parasitology*. 34, 633-643
- [170] Traversa D, Giangaspero A, Galli P, Paoletti, Otranto D and **Gasser RB** (2004) Specific identification of *Habronema microstoma* and *Habronema muscae* (Spirurida, Habronematidae) by PCR using markers in ribosomal DNA. *Molecular and Cellular Probes* 18, 215-221.
- [171] Cottee PA, Nisbet AJ, Boag P, Larsen M and **Gasser RB** (2004) Major sperm protein of *Oesophagostomum dentatum*. *Parasitology* 129, 479-490.
- [172] de Gruijter JM, Ziem J, Verweij JJ, Polderman AM and **Gasser RB** (2004) Genetic substructuring within *Oesophagostomum bifurcum* (Nematoda) from human and non-human primates from Ghana based on random amplification of polymorphic DNA analysis. *American Journal of Tropical Medicine and Hygiene* 71, 227-233.
- [173] Abs EL-Osta YG, Zhu X, Chalmers R, Caccio S, Widmer G, Morgan U, Thompson RCA, Pozio E and **Gasser RB** (2004) High Resolution Genotyping of *Cryptosporidium* by Mutation Scanning (Chapter 20). In: *Cryptosporidium: From Molecules to Disease* R.C.A. Thompson (Editor). Elsevier Science B.V., pp 173-175.
- [174] **Gasser RB**, Hu M, Abs EL-Osta, Zarlenga DS and Pozio E (2004) Non-isotopic single-strand conformation polymorphism analysis of sequence variability in ribosomal DNA expansion segments within the genus *Trichinella* (Nematoda: Adenophorea). *Electrophoresis* 25, 3357-3364.
- [175] Traversa D, Giangaspero A, Iorio R, Otranto D, Paoletti B, **Gasser RB** (2004) Semi-nested PCR for the specific detection of *Habronema microstoma* or *Habronema muscae* DNA in horse faeces. *Parasitology* 129, 733-739.
- [176] Williams JC, **Gasser RB** and Malone JB (Guest Editors of Special Issue) (2004) Diversity and Progress of Veterinary Parasitology Research in the 21st Century. A selection of presentations given during the 19th international conference of the World Association for the Advancement of Veterinary Parasitology (WAAVP). *Veterinary Parasitology* volume 125, issues 1-2, Pages 1-220. [INVITED].
- [177] **Gasser RB**, Hu M and Chilton NB (2004) Some recent advances in mitochondrial genomics of parasitic nematodes - implications for molecular systematic and population genetic investigations. *Veterinary Parasitology* 125, 69-92.
- [178] **Gasser RB**, Abs EL-Osta YG, Prepens S and Chalmers RM (2004) An improved “cold SSCP” method for the genotypic and subgenotypic characterization of *Cryptosporidium*. *Molecular and Cellular Probes* 18, 329-332.
- [179] Nikolaou S, Hartman D, Nisbet AJ, Presidente PJA and **Gasser RB** (2004) Genomic organization and expression analysis for *hcstk*, a serine/threonine protein kinase gene of *Haemonchus contortus*, and comparison with *Caenorhabditis elegans par-1*. *Gene* 343, 313-322.

## 2005

- [180] **Gasser RB**, Zhu XQ, Hu M, Jacobs DE and Chilton NB (2005) Molecular Genetic Characterisation of Members of the Genus *Toxocara* (Nematoda: Ascaridoidea) – Systematic, Population Genetic and Epidemiological Considerations. CABI book (edited by C. Holland & H. Smith): “*Toxocara: The Enigmatic Parasite*”, CABI Press, Wallingford, UK. Pp. 18-31 [INVITED CHAPTER].
- [181] de Gruijter JM, **Gasser RB**, Polderman AM, Asigri V and Dijkshoorn L (2005) High resolution

- DNA fingerprinting by AFLP to study the genetic variation among *Oesophagostomum bifurcum* (Nematoda) from human and non-human primates in Ghana. *Parasitology* 130, 229-237.
- [182] Hu M, **Gasser RB**, Chilton NB and Beveridge I (2005) Genetic variation in the mitochondrial cytochrome *c* subunit 1 within three species of *Progamotaenia* (Cestoda: Anoplocephalidae) from macropodid marsupials. *Parasitology* 130, 117-129.
- [183] Weng YB, Hu YJ, Li Y, Li BS, Lin RQ, Xie DH, **Gasser RB** and Zhu XQ (2005) Survey of intestinal parasites in pigs from intensive farms in Guangdong Province, People's Republic of China. *Veterinary Parasitology* 127, 333-336.
- [184] **Gasser RB**, Hu M, Abs EL-Osta, Zarlenga DS and Pozio E (2005) Genetic analysis of *Trichinella* populations by 'cold' single-strand conformation polymorphism. *Veterinary Parasitology* 132, 23-26.
- [185] Lun Z-R, **Gasser RB**, Lai DH, Li AX, Zhu XQ, Yu XB, Fang YY (2005) Clonorchiasis: a key foodborne zoonosis in China. *Lancet Infectious Diseases* 5, 23-33.
- [186] **Gasser RB**, Williamson RMC and Beveridge I (2005) *Anoplocephala perfoliata* of horses – significant scope for further research, improved diagnosis and control. *Parasitology* 131, 1-13.
- [187] Chalmers RM, Ferguson C, Cacciò S, **Gasser RB**, Abs EL-Osta YG, Heijnen L, Xiao L, Elwin K, Hadfield S, Sinclair M, Stevens M (2005) Direct comparison of selected methods for genetic categorisation of *Cryptosporidium parvum* and *Cryptosporidium hominis*. *International Journal for Parasitology* 35, 397-410. \*authors contributed equally to the research.
- [188] de Gruijter JM, van Lieshout L, **Gasser RB**, Verweij JJ, Brienen EAT, Ziem JB, Yelifari L, Polderman AM (2005) PCR-based differential diagnosis of *Ancylostoma duodenale* and *Necator americanus* in humans from northern Ghana. *Tropical Medicine and International Health* 10, 574-580.
- [189] Li AX, D'Amelio S, Paggi L, He F, **Gasser RB**, Lun ZR, Abollo E, Turchetto M, Zhu XQ (2005) Genetic evidence for the existence of sibling species within *Contraecaecum rudolphii* (Hartwich, 1964) and the validity of *Contraecaecum septentrionale* (Kreis, 1955) (Nematoda: Anisakidae). *Parasitology Research* 96, 361-366.
- [190] **Gasser RB**, Skinner R, Fadavi R, Richards DG, Morris G (2005) High throughput capillary electrophoresis for the identification and differentiation of seven species of *Eimeria* from chickens. *Electrophoresis* 26, 3479-3485.
- [191] Ugarte CE, Thomas DG, **Gasser RB**, Hu M, Scott I, Collett MG (2005) *Spirometra erinacei* in a feral cat with chronic intermittent diarrhoea from the Manawatu. *New Zealand Veterinary Journal* 53, 347-51.
- [192] Schindler AR, de Gruijter JM, Polderman AM, **Gasser RB** (2005) Definition of genetic markers in nuclear ribosomal DNA for a neglected parasite of primates, *Ternidens deminutus* (Nematoda: Strongylida) – diagnostic and epidemiological implications. *Parasitology* 131, 539-546.
- [193] Otranto D, Testini G, Deluca F, Hu M, **Gasser RB** (2005) Analysis of genetic variability within *Thelazia callipaeda* (Nematoda: Thelazioidea) from Europe and Asia by sequencing and mutation scanning of mitochondrial cytochrome *c* oxidase subunit 1. *Molecular and Cellular Probes* 19, 306-313.
- [194] Peng W, Keng Y, Hu M, Zhou X, **Gasser RB** (2005) Mutation scanning-coupled analysis of haplotypic variability in mitochondrial DNA regions reveals low gene flow between human and porcine *Ascaris* in endemic regions of China. *Electrophoresis* 22, 4317-4326.
- [195] Abel J, Schares G, Orzeszko K, **Gasser RB**, Ellis JT (2006) *Hammondia heydorni* from the dog and the fox are genetically distinct. *Parasitology* 132, 187-192
- [196] van Lieshout L., de Gruijter J.M., Adu-Nsiah M., Haizel M, Verweij JJ, Brienen EAT, **Gasser RB**, Polderman AM (2005) *Oesophagostomum bifurcum* in non-human primates is not a potential reservoir for human infection in Ghana. *Tropical Medicine and International Health* 10, 1315-1320.
- \*[197] Haag KL, Zanotto P, Alves-Junior L, **Gasser RB**, Zaha A, Ayala FJ (2006) Searching for antigen B genes and their adaptive sites in distinct strains and species of the helminth *Echinococcus*. *Infection, Genetics and Evolution* 6, 251-261. ---Epub 2005 Oct 3
- [198] Schindler AR, Abs EL-Osta YG, Stevens M, Sinclair MI, **Gasser RB** (2005) Capillary electrophoretic analysis of fragment length polymorphism in ribosomal markers of *Cryptosporidium* from humans. *Molecular and Cellular Probes* 19, 394-399.
- [199] Li FJ, **Gasser RB**, Zheng JY, Claes F, Zhu XQ, Lun ZR (2005) Application of multiple DNA fingerprinting techniques to study the genetic relationships among three members of the subgenus *Trypanozoon* (Protozoa: Trypanosomatidae). *Molecular and Cellular Probes* 19, 400-407.
- [200] Li AX, Wu YY, Xie MQ, Lin RQ, **Gasser RB**, Zhu XQ (2005) PCR-based identification and delineation of members within the *Pseudorhabdosynochus lantauensis* complex (Monogenea: Diplectanidae). *Parasitology Research* 98, 34-37.

- [201] **Gasser RB**, de Gruijter JM and Polderman AM (2006) Insights into the epidemiology and genetic make-up of *Oesophagostomum bifurcum* from human and non-human primates using molecular tools. *Parasitology* 132, 453-460.
- [201a] **Gasser RB** (2005) Tracking down parasites (Technology and techniques). In: Heinemann Biology 2, 4<sup>th</sup> edition (Eds Evan, B, Ladiges P, McKenzie J, Batterham P, Sanders Y), Hartcourt Education Australia, p. 168.

## 2006

- [202] Ferguson C, Deere D, Sinclair M, Chalmers RM, Elwin K, Hadfield S, Xiao L, Ryan U, **Gasser R**, Abs EL-Osta Y, Stevens M - Application of Genotyping Methods to Assess Risks from *Cryptosporidium* in Watersheds. *Environmental Health Perspectives* 114, 430-434.
- [203] **Gasser RB** (2006) Molecular tools – advances, opportunities and prospects. *Veterinary Parasitology* 136, 69-89. [INVITED].
- [204] Hu M and **Gasser RB** (2006) Mitochondrial genomes of parasitic nematodes (2006) progress and perspectives. *Trends in Parasitology* 22, 78-84. [INVITED].
- [205] Cottee PA, Nisbet AJ, Abs EL-Osta YG, Webster TL, **Gasser RB** (2006) Construction of gender-enriched cDNA archives for adult *Oesophagostomum dentatum* by suppressive subtractive hybridization and a microarray analysis of expressed sequence tags. *Parasitology* 132, 691-708.
- [206] Nisbet AJ, Geldhof P, Pellegrino M, **Gasser RB** (2006) Characterisation of a DM domain-containing transcription factor from *Trichostrongylus vitrinus* (Nematoda: Strongylida). *Parasitology International* 55, 155-157.
- [207] Nikolaou S, Hu, M, Chilton NB, Hartman D, Nisbet AJ, Presidente PJA, **Gasser RB** (2006) Class II myosins in nematodes – genetic relationships, fundamental and applied implications. *Biotechnology Advances* 24, 338-350
- [208] Cottee PA, Abs EL-Osta YG, Nisbet AJ, **Gasser RB** (2006) Ubiquitin-conjugating enzyme genes in *Oesophagostomum dentatum*. *Parasitology Research* 132, 691-708.
- [209] Ranjit N, Jones MK, Stenzel DJ, **Gasser RB**, Loukas A (2006) A survey of the intestinal transcriptomes of the hookworms *Ancylostoma caninum* and *Necator americanus* using tissues extracted after laser microdissection microscopy. *International Journal for Parasitology* 36, 701-710. [INVITED].
- [210] Nikolaou S, Hartman D, Nisbet AJ, **Gasser RB** (2006) *Haemonchus contortus*: Prokaryotic expression and enzyme activity of recombinant HcSTK, a serine/threonine protein kinase. *Experimental Parasitology* 113, 207-214.
- [211] Jex AR, Hu M, Rose HA, Schneider M, Cribb TH, **Gasser RB** (2006) Genetic characterization of Thelastomatoidea (Nematoda: Oxyurida) from cockroaches in Australia – implications for systematics and ecology. *Parasitology* 133, 123-129.
- [212] Nikolaou S, Hu, M, Chilton NB, Hartman D, Nisbet AJ, Presidente PJA, **Gasser RB** (2006) Isolation and characterization of class II myosin genes from *Haemonchus contortus*. *Parasitology Research* 99, 200-203.
- [213] Chilton NB, Huby-Chilton F, **Gasser RB**, Beveridge I (2006) The evolutionary origins of the bursate nematodes (order Strongylida) are related to predilection sites within hosts. *Molecular Phylogenetics and Evolution* 40, 118-128.
- [214] de Gruijter JM, Blotkamp J, **Gasser RB**, Amponsah S, Polderman AM (2006) Morphological variability within *Oesophagostomum bifurcum* (Nematoda) among different primate species from Ghana. *Journal of Helminthology*. 80, 357-361.
- [215] Shen J, **Gasser RB**, Chu D, Wang Z, Yuan X, Cantacessi C, Otranto D. (2006) An update on human thelaziosis. *Journal of Parasitology* 92, 872-875.
- [216] Richards DG, Whithear KG, Scott PC, **Gasser RB** (2006) Reproductive characteristics of an Australian precocious vaccine line (Rt3+15) of *Eimeria tenella* in embryonating chicken embryos. *Acta Parasitologica* 51, 156-159.
- [217] Li MW, Zhu XQ, **Gasser RB**, Lin RQ, Sani RA, Lun ZR, Jacobs DE (2006) The occurrence of *Toxocara malaysiensis* in cats in China, confirmed by sequence-based analyses of ribosomal DNA. *Parasitology Research* 99, 554-557.
- [218] de Gruijter JM, Polderman AM, Roberts H, Ziem J, Kunwar CB, **Gasser RB** (2006) AFLP fingerprinting for the analysis of genetic diversity within *Necator americanus*. *Molecular and Cellular Probes*. 20, 317-321.
- [219] Nikolaou S, **Gasser RB** (2006) Prospects for exploring molecular developmental processes in *Haemonchus contortus*. (INVITED REVIEW). *International Journal for Parasitology* 36, 859-868.
- [220] Peng W, Yuan K, Peng G, Zhou X, Hu N, Hu M, **Gasser RB** - Experimental infections of pigs and mice with particular genotypes of *Ascaris*. *Parasitology* 133, 651-657.

- [221] Verweij JJ, Campbell BE, **Gasser RB** - Differentiation of *Entamoeba histolytica* from *Entamoeba dispar* by PCR-coupled non-isotopic single-strand conformation polymorphism (SSCP) analysis. *Electrophoresis* 27, 4419-4422.
- [222] Morris GM, **Gasser RB** – Biotechnological advances in the diagnosis of avian coccidiosis and the detection of genetic variation in *Eimeria*. *Biotechnology Advances* 24, 590-603.
- [223] **Gasser RB** (2006) Molecular technologies in parasitology, with an emphasis on genomic approaches for investigating parasitic nematodes. *Parassitologia* 48, 9-11. (Lettura Magistrale).
- [232] **Gasser RB**, Hu M, Chilton NB, Campbell BE, Jex AR, Otranto D, Cafarchia C, Beveridge I, Zhu XQ (2006) Single-strand conformation polymorphism (SSCP) for the analysis of genetic variation. *Nature Protocols* 1, 3121-3128.

## 2007

- [224] Peng W, Yuan K, Hu M and **Gasser RB** (2007) Recent insights into the epidemiology and genetics of *Ascaris* using molecular tools. *Parasitology*. [INVITED MINI-REVIEW]. 134, 325-330.
- [225] Nikolaou S, **Gasser RB** (2007) Extending from PARs in *Caenorhabditis elegans* to homologues in *Haemonchus contortus* and other parasitic nematodes. *Parasitology* 134, 461-482.
- [226] Li FJ, **Gasser RB**, Lai DH, Claes F, Zhu XQ, Lun ZR (2007) PCR for the detection of *Trypanosoma brucei* and *T. equiperdum* and their differentiation from *T. evansi* based on maxicircle kinetoplast DNA. *Molecular and Cellular Probes* 21, 1-7.
- [227] Nagaraj SH, **Gasser RB**, Ranganathan S (2007) A hitchhiker's guide to expressed sequence tag (EST) analysis. *Briefings in Bioinformatics* 8, 6-21. [impact factor: 24.4].
- [228] Finnin PJ, Visvesvara, Campbell BE, Fry DR and **Gasser RB** (2007) Multifocal *Balamuthia mandrillaris* infection in a dog in Australia. *Parasitology Research* 100, 423-426.
- [229] Zhu XQ, D'Amelio S, **Gasser RB**, Yang TB, Paggi L, He F, Lin RQ, Song HQ, Ai L, Li AX (2007) Practical PCR tools for the delineation of *Contracaecum rudolphii* A and *Contracaecum rudolphii* B (Ascaridoidea: Anisakidae) using genetic markers in nuclear ribosomal DNA. *Molecular and Cellular Probes* 21, 97-102.
- [230] Zhang L, Hu M, Chilton NB, Huby-Chilton F, Beveridge I and **Gasser RB** (2007) Nucleotide alterations in the D3 domain of ribosomal DNA among 21 species of equine strongyles. *Molecular and Cellular Probes* 21, 111-115.
- [231] Cafarchia C, Otranto D, Campbell BE, Latrofa MS, Guillot J, **Gasser R.B.** (2007) Multilocus mutation scanning for the analysis of genetic variation within *Malassezia* (Basidiomycota: Malasseziales). *Electrophoresis*. 19<sup>th</sup> October 2006.
- [234] Cafarchia C, Latrofa MS, Testini G, Parisi A, Guillot J, **Gasser R.B.**, Otranto D (2007) Molecular characterization of *Malassezia* isolates from dogs using three distinct genetic markers. *Molecular and Cellular Probes*. 21, 229-238.
- [235] Devlin MG, **Gasser RB** and Cocks TM (2007) Initial support for PAR2 being involved in the immune response to *Nippostrongylus brasiliensis* in mice. *Parasitology Research* 101, 105-109.
- [236] **Gasser RB**, Cottee PA, Nisbet AJ, Bärbel Ruttkowski, Ranganathan S, Joachim A. (2007) *Oesophagostomum dentatum* (Strongylida) – potential as a model for genomic studies of parasitic nematodes, with biotechnological prospect. *Biotechnology Advances* 25, 281-293.
- [237] Jex AR, Ryan UM, Ng J, Campbell BE, Xiao L, Stevens M and **Gasser RB** (2007) Specific and genotypic identification of *Cryptosporidium* from a broad range of host species by nonisotopic single-strand conformation polymorphism (SSCP) analysis of nuclear ribosomal DNA. *Electrophoresis* 28, 2818-2825.
- [238] Beveridge I, Shamsi S, Hu M, Chilton NB and **Gasser RB** (2007) Genetic variation in the mitochondrial cytochrome *c* oxidase subunit 1 within *Progamotaenia festiva* (Cestoda: Anoplocephalidae) from macropodid marsupials. *Parasitology* 134, 1465-1476.
- [239] Morris GM, Woods WG, Richards DG and **Gasser RB** (2007) Investigating a persistent coccidiosis problem on a commercial broiler breeder farm utilizing PCR-coupled capillary electrophoresis. *Parasitology Research* 101, 583-589.
- [240] Morris GM, Woods WG, Richards DG and **Gasser RB** (2007) The application of a polymerase chain reaction (PCR)-based capillary electrophoretic technique provides detailed insights into *Eimeria* populations in intensive poultry establishments. *Molecular and Cellular Probes* 21, 288-294
- [241] Jeffery N, **Gasser RB**, Steer PA and Noormohammadi AH (2007) Classification of *Mycoplasma synoviae* strains using single-strand conformation polymorphism and high resolution melting curve analysis of the *vlhA* gene single copy region. *Microbiology* 153, 2679-2688.
- [242] Hu M, Abs EL-Osta YG, Campbell BE, Boag PR, Nisbet AJ, Beveridge I and **Gasser RB** (2007) Molecular characterization and transcriptional analysis of *Tv-stp-1*, a serine/threonine

- phosphatase gene of *Trichostrongylus vitrinus* (Nematoda: Strongylida). *Experimental Parasitology* 117, 22-34.
- [243] Hu M, Campbell BE, Pellegrino M, Loukas A, Beveridge I, Ranganathan S and **Gasser RB** (2007) Genomic characterization of *Tv-ant-1*, a *Caenorhabditis elegans tag-61* homologue from the parasitic nematode *Trichostrongylus vitrinus*. *Gene* 397, 12-25.
- [244] Nagaraj SH, Deshpande N, **Gasser RB** and Ranganathan S (2007) ESTExplorer: an expressed sequence tag (EST) assembly and annotation platform. *Nucleic Acids Research* 35(Web Server issue):W143-W147.
- [245] Zhang L, Hu M, Jones A, Allsopp BA, Beveridge I, Schindler AR and **Gasser RB** (2007) Characterization of *Taenia madoquae* and *Taenia regis* from carnivores in Kenya using nuclear and mitochondrial DNA markers, and their relationship with other selected taeniids. *Molecular and Cellular Probes* 21, 379-385.
- [246] Zhang L, Hu M, Shamsi S, Beveridge I, Li H, Xu Z, Li L, Cantacessi C and **Gasser RB** (2007) The specific identification of anisakid larvae from fishes from the Yellow Sea, China, using mutation scanning-coupled sequence analysis of nuclear ribosomal DNA. *Molecular and Cellular Probes* 21, 386-390.
- [247] Laha T, Pinlaor P, Mulvenna J, Sripa B, Sripa M, Smout MJ, **Gasser RB**, Brindley PJ, Loukas A (2007) Gene discovery for the carcinogenic human liver fluke, *Opisthorchis viverrini*. *BMC Genomics* 8, 189.
- [248] Ranganathan S, Nagaraj SH, Hu M, Strube C, Schnieder T, **Gasser RB** (2007) A transcriptomic analysis of the adult stage of the bovine lungworm, *Dictyocaulus viviparus*. *BMC Genomics* 8, 311.
- [249] Jex AR, Whipp M, Campbell BE, Cacciò SM, Stevens M, Hogg G and **Gasser RB** (2007) A practical and cost effective mutation scanning approach for investigating population genetics of *Cryptosporidium*. *Electrophoresis* 28, 3875-3883.
- [250] Hu M, Jex AR, Campbell BE and **Gasser RB** (2007) Long PCR amplification of the entire mitochondrial genome from individual helminths for direct sequencing. *Nature Protocols* 2, 2339-2344.
- 2008**
- [251] Campbell BE, Nagaraj SH, Hu M, Zhong W, Sternberg PW, Ong EK, Loukas A, Ranganathan S, Beveridge I, McInnes RL, **Gasser RB** (2008) Gender-enriched transcripts in adult *Haemonchus contortus* – predicted functions and genetic interactions based on comparative analyses with *Caenorhabditis elegans*. *International Journal for Parasitology* 38, 65-83.
- [252] **Gasser RB**, Cantacessi C and Loukas A (2008) DNA technological progress toward advanced diagnostic tools to support human hookworm control. *Biotechnology Advances* 26, 35-45.
- [253] Datu BJD, **Gasser RB**, Nagaraj SH, Ong EK, O'Donoghue P, McInnes RL, Ranganathan S, Loukas A (2008) Transcriptional changes in the third-stage larva of *Ancylostoma caninum* (Nematoda) following *in vitro* serum-stimulation, employing a suppressive-subtractive hybridization-based oligonucleotide microarray approach. *PLoS Neglected Tropical Diseases* 2, e130.
- [254] Nagaraj SH, **Gasser RB**, Nisbet AJ, Ranganathan S (2008). *In silico* analysis of expressed sequence tags (EST) from *Trichostrongylus vitrinus* (Nematoda): comparison of the automated ESTExplorer workflow platform with database searches. *BMC Bioinformatics*. 9 (S1), 510.
- [255] Nisbet AJ, Cottee PA and **Gasser RB** (2008) Genomics of reproduction in nematodes: prospects for parasite intervention? *Trends in Parasitology*. 24, 89-95.
- [256] Jex AR, Hu M, DTJ Littlewood, Waeschenbach A and **Gasser RB** (2008) Using 454 technology for long PCR based sequencing of the complete mitochondrial genome from single *Haemonchus contortus* (Nematoda). *BMC Genomics*. 9, 11.
- [257] Cantacessi C, Riddell S, Morris GM, Doran T, Woods WG, Otranto D and **Gasser RB** (2008) Genetic characterization of three new operational taxonomic units of *Eimeria* from chickens in Australia based on nuclear spacer ribosomal DNA. *Veterinary Parasitology*. 152, 226-234.
- [258] Otranto D, Stevens JR, Cantacessi C and **Gasser RB** (2008) Parasite transmission by insects – a female affair? *Trends in Parasitology*. 24, 116-120.
- [259] Cafarchia C, **Gasser RB**, Latrofa MS, Parisi A, Campbell BE and Otranto D (2008) Genetic variants of *Malassezia pachydermatis* from canine skin: body distribution and phospholipase activity. *FEMS Yeast Research*. 8, 451-459.
- [260] Jex AR, Smith HV, Monis PT, Campbell BE and **Gasser RB** (2008) *Cryptosporidium* - biotechnological advances in detection, diagnosis and analysis of genetic variation. *Biotechnology Advances*. 26, 304-317.
- [261] **Gasser RB**, Bott NJ, Chilton NB, Hunt PR and Beveridge I (2008) Toward practical DNA-based

- diagnostic methods for parasitic nematodes of livestock – bionomic and biotechnological implications. *Biotechnology Advances*. 26, 325-334.
- [262] Hu, M, Rabelo EM, Schindler AR, Roberts H and **Gasser RB** (2008) Extensive and complex sequence diversity in mitochondrial cytochrome *c* oxidase subunit 1 within *Necator americanus*, from Colombia revealed by SSCP-coupled sequencing. *Molecular and Cellular Probes*. 22, 234-237.
- [263] Cafarchi C, Gallo S, Danesi P, Capelli G, Paradies P, Traversa D, **Gasser RB**, Otranto D (2008) Assessing the relationship between *Malassezia* and leishmaniasis in dogs with or without skin lesions. *Acta Tropica*. 107, 25-29.
- [264] Jex AR, Pangasa A, Campbell BE, Whipp M, Hogg G, Sinclair MI, Stevens M and **Gasser RB** (2008) Classification of *Cryptosporidium* from sporadic cryptosporidiosis cases in humans in South Australia by sequence-based multilocus analysis. *Journal of Clinical Microbiology*. 46, 2252-2262.
- [265] Huang CG, **Gasser RB**, Cantacessi C, Nisbet AJ, Zhong W, Sternberg PW, Loukas A, Mulvenna J, Lin RQ, Chen N and Zhu XQ (2008) Genomic-bioinformatic analysis of transcripts specific to the third-stage larva of the parasitic nematode *Ascaris suum*. *PLoS Neglected Tropical Diseases*. 2, e246.
- [266] Jex AR, Waeschenbach A, Littlewood DTJ, Hu M and **Gasser RB** (2008) The mitochondrial genome of *Toxocara canis*. *PLoS Neglected Tropical Diseases*. 2, e273.
- [267] Shamsi S, **Gasser RB**, Beveridge I and Shabani AA (2008) *Contraecaecum pyripapillatum* n. sp. (Nematoda: Anisakidae) and a description of *C. multipapillatum* (von Drasche, 1882) from the Australian pelican, *Pelecanus conspicillatus*. *Parasitology Research*. 103, 1031-1039.
- [268] Campbell BE, Nisbet AJ, Mulvenna J, Loukas A, **Gasser RB**. (2008) Molecular and phylogenetic characterization of cytochromes *c* from *Haemonchus contortus* and *Trichostrongylus vitrinus* (Nematoda: Trichostrongylida). *Gene*. 424, 121-129.
- [269] Jex AR and **Gasser RB** (2008) Analysis of genetic diversity within *Cryptosporidium hominis* and *Cryptosporidium parvum* from imported and autochthonous cases of human cryptosporidiosis in the United Kingdom by mutation scanning. *Electrophoresis*. 29, 4119-4129.
- [270] Nagaraj SH, **Gasser RB** and Ranganathan S (2008) Needles in the EST haystack: Large-scale identification and analysis of excretory-secretory (ES) proteins in parasitic nematodes using expressed sequence tags (ESTs). *PLoS Neglected Tropical Diseases*. 24, e301.
- [271] Cinque K, Stevens MA, Haydon SR, Jex AR, **Gasser RB** and Campbell BE. (2008) Investigating public health impacts of deer in a protected drinking water supply watershed. *Water Sci Technol*. 58:127-132.
- [272] Hu M, LaRonde LeBlanc N, Sternberg PW, Beveridge I and **Gasser RB**. (2008) *Tv-RIO1* – an atypical protein kinase from the parasitic nematode *Trichostrongylus vitrinus*. *Parasites & Vectors*. 1, 34.

## 2009

- [272a] **Gasser RB**, de Gruijter JM, Polderman AM (2009) The utility of molecular methods for elucidating primate-pathogen relationships – the *Oesophagostomum bifurcum* example. In: Primate parasite ecology: The dynamics and study of host-parasite relationships (M.A. Huffman and C.A. Chapman, editors). Cambridge Studies in Biological and Evolutionary Anthropology, Cambridge University Press, Cambridge.
- [273] Chilton NB, Huby-Chilton F, Smales LR, **Gasser RB** and Beveridge I (2009) Genetic divergence between island and continental populations of the parasitic nematode *Labiosimplex australis* in Australia. *Parasitology Research* 104, 229-236.
- [274] Cantacessi C, Loukas A, Campbell BE, Mulvenna J, Ong EK, Zhong W, Sternberg PW, Otranto D and **Gasser RB** (2009) Exploring transcriptional conservation between *Haemonchus contortus* and *Ancylostoma caninum* by oligonucleotide microarray and bioinformatics analyses. *Molecular and Cellular Probes* 23, 1-9.
- [275] Datu BJD, Loukas A, Cantacessi C, O'Donoghue PJ and **Gasser RB** (2009) Investigation of the regulation of transcriptional changes in *Ancylostoma caninum* larvae following serum-activation, with a focus on the insulin-like signaling pathway. *Veterinary Parasitology* 159, 139-148.
- [276] Rabelo EM, Hall RS, Loukas A, Cooper L, Hu M, Ranganathan S and **Gasser RB** (2009) Improved insights into the transcriptomes of the human hookworm *Necator americanus*. *Biotechnology Advances* 27, 122-132.
- [277] Lacorcchia L, **Gasser RB**, Beveridge I and Anderson GA - The Baermann technique is superior to bronchoalveolar lavage for detection of *Aelurostrongylus abstrusus* infection in cats. *JAVMA*. 235, 43-49.
- [278] Pangasa A, Jex AR, Campbell BE, Whipp M, Hogg G, Sinclair MI, Stevens M, Koehler A and

- Gasser RB** (2009) A PCR-coupled melting curve analysis approach for the specific diagnosis of cryptosporidiosis in humans. *Molecular and Cellular Probes* 23, 10-15.
- [279] **Gasser RB**, Cantacessi C and Campbell BE (2009) Improved molecular-diagnostic tools for human hookworms. *Expert Review of Molecular Diagnostics*. 9, 17-21.
- [280] Jex AR, Waeschenbach A, Hu M, van Wyk JA, Beveridge I, Littlewood DTJ, **Gasser RB** (2009) The mitochondrial genomes of *Ancylostoma caninum* and *Bunostomum phlebotomum* – two hookworms of animal health and zoonotic importance. *BMC Genomics* 10, 79.
- [281] Morgan JAT, Morris GM, Wlodek B, Byrnes R, Jenner M, Constantinoiu CC, Anderson GR, Lew AE, Molloy JB, **Gasser RB** and Jorgensen WK (2009) Real-time polymerase chain reaction (PCR) assays for the specific detection of seven *Eimeria* species that cause coccidiosis in chickens. *Molecular and Cellular Probes*. 23, 83-89.
- [282] Jex AR and **Gasser RB** (2009) Diagnostic and analytical mutation scanning of *Cryptosporidium* – utility and advantages. *Expert Review of Molecular Diagnostics*. 9, 179-185.
- [283] Wang Z, Martin J, Abubucker S, Yin Y, **Gasser RB** and Mitreva M (2009) Systematic analysis of insertions and deletions specific to nematode proteins and their proposed functional and evolutionary relevance. *BMC Evolutionary Biology*. 9, 23.
- [284] Shamsi S, Norman R, **Gasser RB** and Beveridge I (2009) Redescription and genetic characterization of selected *Contraecaecum* spp. (Nematoda: Anisakidae) from various hosts in Australia. *Parasitology Research* 104, 1507-1525.
- [285] Kirkpatrick NC, Blacker HP, Woods WG, **Gasser RB** and Noormohammadi AH (2009) A polymerase chain reaction-coupled high-resolution melting curve analytical approach for the monitoring of monospecificity of avian *Eimeria* species. *Avian Pathology* 38, 13-19.
- [286] Cantacessi C, Campbell BE, Visser A, Geldhof P, Nolan MJ, Nisbet AJ, Matthews JB, Loukas A, Hofmann A, Otranto D, Sternberg PW and **Gasser RB** (2009) A portrait of the “SCP/TAPS” proteins of eukaryotes – developing a framework for fundamental research and biotechnological outcomes. *Biotechnology Advances*.27, 376-388.
- [287] Chilton NB, Huby-Chilton NB, Johnson PM, Beveridge I and **Gasser RB** (2009) Genetic variation within species of the nematode genus *Cloacina* (Strongyloidea: Cloacininae) parasitic in the stomachs of rock wallabies, *Petrogale* spp. (Marsupialia: Macropodidae) in Queensland and implications for host phylogeny. *Australian Journal of Zoology*. 57, 1-10.
- [288] Cantacessi C, Zou FC, Hall RS, Zhong W, Jex AR, Campbell BE, Ranganathan S, Sternberg PW, Zhu XQ and **Gasser RB** (2009). Bioinformatic analysis of abundant gender-enriched transcripts of adult *Ascaris suum* (Nematoda) using a semi-automated workflow platform. *Molecular and Cellular Probes*. 23, 205-217.
- [289] Ranganathan S, Menon R, Nagaraj SH, **Gasser RB** (2009). Advanced *in silico* analysis of expressed sequence tag (EST) data for parasitic nematodes of major socioeconomic importance – fundamental insights toward biotechnological outcomes. *Biotechnology Advances*.27, 439-448.
- [290] Nolan MJ, Jex AR, Mansell PD, Browning GF and **Gasser RB** (2009) Elucidating the genetic make-up of *Cryptosporidium parvum* from calves in south-eastern Australia – zoonotic implications. *Electrophoresis* 30, 2640-2647.
- [291] Bott NJ, Campbell BE, Beveridge I, Chilton NB, Rees D, Hunt PW and **Gasser RB** (2009) A combined microscopic-molecular method for the diagnosis of strongylid infections in sheep. *International Journal for Parasitology*. 39,1277-1287.
- [292] Sharbatkhori M, Harandi MF, Jex AR, Pangasa A, Campbell BE, Mirhendi H, Kia EB, Eshraghian MR, Rahimi H and **Gasser RB** (2009) Genetic categorization of *Echinococcus granulosus* from humans and herbivorous hosts in Iran using an integrated mutation scanning-phylogenetic approach. *Electrophoresis* 30, 2648-2655.
- [293] **Gasser RB**, Campbell BE and Jex AR (2009) Mutation scanning-coupled tools for the analysis of genetic variation in *Taenia* and diagnosis – status and prospects. *Infection, Genetics and Evolution*. 9, 740-747.
- [294] Bu Y, Niu H, **Gasser RB**, Beveridge I and Zhang L (2009) Strongyloid nematodes in the caeca of donkeys in Henan Province, China. *Acta Parasitologica* 54, 263-268
- [295] Shamsi S, Norman R, **Gasser RB** and Beveridge I (2009) Genetic and morphological evidences for the existence of sibling species within *Contraecaecum rudolphi* (Hatwich, 1964) (Nematoda: Anisakidae) in Australia. *Parasitology Research*.
- [296] Fazenda IP, Beveridge I, Chilton NB, Jex AR, Pangasa A, Campbell BE, **Gasser RB** (2009) Analysis of genetic variation in *Globocephaloides* populations from macropodid marsupials using a mutation scanning-based approach. *Electrophoresis* 30, 2758-2764.
- [297] Cafarchia C, Otranto D, Weigl S, Campbell BE, Parisi A, Cantacessi C, Mancianti F, Danesi P, **Gasser RB** (2009) Molecular characterization of selected dermatophytes and their identification by mutation scanning. *Electrophoresis* 30, 3555–3564.
- [298] Costa AFDV, **Gasser RB**, Costa Dias SR and Rabelo EML (2009) Male-enriched transcription of



genes encoding ASPs and Kunitz-type protease inhibitors in *Ancylostoma* species. *Molecular and Cellular Probes*. 23, 298-303.

- [299] Pellegrino MW, **Gasser RB**, Sprenger F, Stetak A and Hajnal A - The conserved zinc finger protein VAB-23 is an essential regulator of epidermal morphogenesis in *C. elegans*. *Developmental Biology*. 336, 84-96.

## 2010

- [300] Hu M, Lok JB, Ranjit N, Massey HC, Sternberg PW, **Gasser RB** (2010) Structural and functional characterization of the fork head transcription factor-encoding gene, *Hc-daf-16*, from the parasitic nematode *Haemonchus contortus* (Strongylida). *International Journal for Parasitology* 40, 405-415.
- [301] Hu M, Zhong W, Campbell BE, Sternberg PW, Pellegrino MW and **Gasser RB** (2010) Elucidating ANTs in worms using genomic and bioinformatic tools – biotechnological prospects? *Biotechnology Advances* 28, 49–60.
- [302] Nolan MJ, Jex AR, Pangasa A, Young ND, Campbell AJ, Stevens M and **Gasser RB** (2010) Analysis of nucleotide variation within the triose-phosphate isomerase (*tpi*) gene of *Giardia duodenalis* from sheep and its zoonotic implications. *Electrophoresis*. 31, 287-298.
- [303] Lim Y, Jex AR, Smith HV and **Gasser RB** (2010) Cryptosporidiosis in Southeast Asia: what's out there? *Advances in Parasitology*. 71, 1-31.
- [304] Jex AR and **Gasser RB** (2010) Genetic richness and diversity in *Cryptosporidium hominis* and *C. parvum* reveals major knowledge gaps and a need for the application of “next generation” technologies – Research review. *Biotechnology Advances* 28, 17-26
- [305] Jex AR, Hall RS, Littlewood DTJ and **Gasser RB** (2010) An integrated pipeline for next-generation sequencing and annotation of mitochondrial genomes. *Nucleic Acids Research* 38, 522-33.
- [306] Jex AR, Littlewood DTJ and **Gasser RB** (2010) Toward next-generation sequencing of mitochondrial genomes– focus on parasitic worms of animals and biotechnological implications. *Biotechnology Advances* 28, 151-159.
- [307] Du C, Zhang L, Shi M, Ming Z, Hu M and **Gasser RB** (2010) Elucidating the identities of *Anisakis* larvae from a broad range of marine fishes from the Yellow Sea, China, using a combined electrophoretic-sequencing approach. *Electrophoresis* 31, 654-658.
- [308] Young ND, Hall RS, Jex AR, Cantacessi C and **Gasser RB** (2010) Elucidating the transcriptome of *Fasciola hepatica* – a key to fundamental and biotechnological discoveries for a neglected parasite. *Biotechnology Advances* 28, 222-231.
- [309] Pangasa A, Jex AR, Nolan MJ, Campbell BE, Haydon SR, Stevens MA and **Gasser RB** (2010) Highly sensitive nonisotopic restriction endonuclease fingerprinting (REF) of nucleotide variability in the *gp60* gene within *Cryptosporidium* species, genotypes and subgenotypes infective to humans, and its implications. *Electrophoresis* 31, 1637-1647.
- [310] Campbell BE, Rabelo EM, Hofmann A, Hu M and **Gasser RB** (2010) Characterization of a *Caenorhabditis elegans* *glc* seven-like phosphatase (*gsp*) orthologue from *Haemonchus contortus* (Nematoda). *Molecular and Cellular Probes* 24, 178-189.
- [311] Polderman AM, Eberhard M, Baeta S, **Gasser RB**, van Lieshout L, Magnussen P, Olsen A, Spannbrucker N, Ziem J and Horton J. (2010) The rise and fall of human oesophagostomiasis. *Advances in Parasitology*. 71, 93-155.
- [312] Cantacessi C, Mitreva M, Jex AR, Young ND, Campbell BE, Hall RS, Doyle M, Ralph SA, Rabelo EM, Ranganathan S, Sternberg PW, Loukas A and **Gasser RB** (2010) Massively parallel sequencing and analysis of the *Necator americanus* transcriptome. *PLoS Neglected Tropical Diseases*. 4:e684
- [313] Doyle MA, **Gasser RB**, Woodcroft BJ, Hall RS, Ralph SA (2010) Drug target prediction and prioritization for parasitic nematodes: using orthology to predict essentiality. *BMC Genomics* 11, 222.
- [314] Hu M, He L, Campbell BE, Zhong W, Sternberg PW and **Gasser RB** (2010) A vacuolar-type proton (H<sup>+</sup>) translocating ATPase a subunit encoded by the *Hc-vha-6* gene of *Haemonchus contortus*. *Molecular and Cellular Probes* 4, 196-203.
- [315] Cantacessi C, Campbell BE, Young ND, Jex AR, Hall RS, Presidente PJA, Zawadzki J, Zhong W, Aleman-Meza B L, Loukas A, Sternberg PW and **Gasser RB** (2010) Differences in transcription between free-living and CO<sub>2</sub>-activated third-stage larvae of *Haemonchus contortus*. *BMC Genomics*. 11, 266.
- [316] Young ND, Campbell BE, Hall RS, Jex AR, Cantacessi C, Laha T, Sohn W-M, Sripta B, Loukas A, Brindley PJ and **Gasser RB** (2010). Unlocking the transcriptomes of the two carcinogenic parasites, *Clonorchis sinensis* and *Opisthorchis viverrini*. *PLoS Neglected Tropical Diseases*. 4,



719.

- [317] Fazenda IP, **Gasser RB**, Carvalho L and Beveridge I (2010). Resurrection and redescription of *Globocephaloides wallabiae* Johnston et Mawson, 1939 (Nematoda, Trichostrongyloidea) from macropodid marsupials in north-eastern Australia. *Acta Parasitologica*. 55, 138–143.
- [318] Nolan MJ, Hofmann A, Jex AR and **Gasser RB** (2010) A theoretical study to establish the relationship between the three-dimensional structure of triose-phosphate isomerase of *Giardia duodenalis* and point mutations in the respective gene. *Molecular and Cellular Probes*. 24, 281-285.
- [319] Abushhewa MH, Abushhiwa MHS, Nolan MJ, Jex AR, Campbell BE, Jabbar A and **Gasser RB** (2010) Genetic classification of *Echinococcus granulosus* cysts from humans, cattle and camels in Libya using mutation scanning-based analysis of mitochondrial loci. *Molecular and Cellular Probes*. 24, 346-351.
- [320] Cantacessi C, Jex AR, Hall RS, Young ND, Campbell BE, Joachim A, Nolan MJ, Loukas A, Abubaker S, Sternberg PW, Mitreva M and **Gasser RB** (2010) A practical, bioinformatic workflow system for large datasets generated by next-generation sequencing. *Nucleic Acids Research*. 38, e171.
- [321] Young ND, Jex AR, Cantacessi C, Campbell BE, Laha T, Sohn WM, Stripa B, Loukas A, Brindley PJ and **Gasser RB** (2010) Progress on the transcriptomics of carcinogenic liver flukes of humans - unique biological and biotechnological prospects. *Biotechnology Advances*. 28, 859-870.
- [322] Nolan MJ, Jex AR, Haydon SR, Stevens MA and **Gasser RB** (2010) Molecular detection of *Cryptosporidium cuniculus* in rabbits in Australia. *Infection, Genetics and Evolution*. 10, 1179-1187.
- [323] Cantacessi C, Mitreva M, Campbell BE, Hall RS, Young ND, Jex AR, Ranganathan S and **Gasser RB** (2010) First transcriptomic analysis of the economically important parasitic nematode, *Trichostrongylus colubriformis*, using a next-generation sequencing approach. *Infection, Genetics and Evolution*. 10, 1199-1207.

## 2011

- [324] Campbell BE, Hofmann A, McCluskey A and **Gasser RB** (2011) Serine/threonine phosphatases in socioeconomically important parasitic nematodes – prospects as novel drug targets? *Biotechnology Advances*. 29, 28-39.
- [325] Shamsi S, **Gasser RB** and Beveridge I (2011) Mutation scanning-coupled sequencing of nuclear ribosomal DNA spacers as a tool for the specific identification of different *Contracaecum* larval types. *Molecular and Cellular Probes*. 25, 13-18.
- [326] Jex AR, Lim Y, Bethony J, Young ND, Hotez PJ and **Gasser RB** (2011) Soil transmitted helminths of humans in Southeast Asia – towards integrated control. *Advances in Parasitology*. 25, 13-18.
- [327] Shamsi S, Eisenbarth A, Saptarshi S, Beveridge I, **Gasser RB** and Lopata AL (2011) Occurrence and abundance of anisakid nematode larvae in five species of fish from southern Australian waters. *Parasitology Research*. 108, 927-34
- [328] Jabbar A, Narankhajid M, Nolan MJ, Jex AR, Campbell BE and **Gasser RB** (2011) A first insight into the genotypes of *Echinococcus granulosus* from humans in Mongolia. *Molecular and Cellular Probes*. 25, 49-54.
- [329] Young ND, Jex AR, Cantacessi C, Hall R, Campbell BE, Spithill TW, Tangkawatana S, Laha T and **Gasser RB** (2011) A portrait of the transcriptome of the neglected trematode, *Fasciola gigantica* - biological and biotechnological implications. *PLoS Neglected Tropical Diseases*. 5, e1004.
- [330] Cantacessi C, **Gasser RB**, Strube C, Schnieder T, Jex AR, Hall RS, Campbell BE, Young ND, Ranganathan S, Sternberg PW and Mitreva M (2011) Deep insights into *Dictyocaulus viviparus* transcriptomes provides unique prospects for new drug targets and disease intervention. *Biotechnology Advances*. 29, 261-271.
- [331] Hodge PJ, Kelers K, **Gasser RB**, Visvesvara GS, Martig S and Long S (2011) Another case of canine amoebic meningoencephalitis – the challenges of reaching a rapid diagnosis. *Parasitology Research*. 108, 1069-1073.
- [332] Cafarchia C, **Gasser RB**, Figueredo LA, Latrofa MS and Otranto D (2011) Advances in the identification of *Malassezia*. *Molecular and Cellular Probes* [INVITED]. 25, 1-7.
- [333] Campbell BE, Boag PR, Hofmann A, Cantacessi C, Wang CK, Taylor P, Hu M, Sindhu Z, Loukas A, Sternberg PW and **Gasser RB** (2011) Atypical (RIO) protein kinases from *Haemonchus contortus* - Promise as new targets for nematocidal drugs. *Biotechnology Advances*. 29, 338-350.

- [334] Smout MJ, Sripa B, Laha T, Mulvenna JP, **Gasser RB**, Young ND, Bethony JM, Brindley PJ and Loukas A (2011) Infection with the carcinogenic human liver fluke, *Opisthorchis viverrini*. *BioSystems*. 7, 1367-1375.
- [335] Roeber F, Jex AR, Campbell AJ, Campbell BE, Anderson GA and **Gasser RB** (2011) Evaluation and application of a molecular method to assess the composition of strongylid nematode populations in sheep with naturally acquired infections. *Infection, Genetics and Evolution*. 11, 849-854.
- [336] Jex AR, Chalmers RM, Smith HV, Widmer G, McDonald V and **Gasser RB** (2011) Cryptosporidiosis. Chapter 46 in the Oxford Textbook of Zoonoses Biology, Clinical Practice, and Public Health Control (Edited by Palmer SR, Soulsby E JL, Torgerson PR and Brown DWG), Oxford University Press, Inc., New York. **[BOOK CHAPTER]**.
- [337] Jex AR, Smith HV, Campbell BE, Nolan MJ, Cantacessi C and **Gasser RB** (2011) Cryptic parasite revealed – improved prospects for treatment and control of human cryptosporidiosis through advanced technologies. *Advances in Parasitology*. 77, 141-173
- [338] **Gasser RB**, Cantacessi C, Campbell BE, Hofmann A and Otranto D (2011) Major prospects for exploring canine vector-borne diseases and novel intervention methods using ‘omic technologies. *Parasites & Vectors*. 4, 53.
- [339] Loukas A, Gaze S, Mulvenna JP, **Gasser RB**, Brindley PJ, Doolan DL, Bethony JM, Jones MK, Gobert GN, McManus DP and Hotez PJ. (2011) Vaccinomics for the major blood feeding helminths of humans. *OMICS*. 15, 567-577.
- [340] Chilton NB, Huby-Chilton F, Beveridge I, Smales LR, **Gasser RB** and Andrews RH. Phylogenetic relationships of species within the tribe Labiostrongylinea (Nematoda: Cloacinidae) based on ribosomal DNA spacer sequence data. *Parasite International*. 60, 381-387
- [341] Schaeffner BC, **Gasser RB** and Beveridge I - *Ancipirhynchus afossalis* n. g., n. sp. (Trypanorhyncha: Otobothriidae), from two species of sharks off Indonesian and Malaysian Borneo. *Systematic Parasitology*. 80, 1-15.
- [342] Lim YAL, Asma I, Surin J, Sim BLH, Jex AR, Nolan MJ, Smith HV and **Gasser RB** – First genetic classification of *Cryptosporidium* and *Giardia* from HIV/AIDS patients in Malaysia. *Infection, Genetics and Evolution*. 11, 968-974
- [343] Campbell BE, Tarleton M, Gordon CP, Sakoff JA, Gilbert J, McCluskey A and **Gasser RB** - Norcantharidin analogues with nematocidal activity in *Haemonchus contortus*. *Bioorganic & Medicinal Chemistry Letters*. 21, 3277-3281.
- [344] Sripa J, Pinlaor P, Brindley PJ, Sripa B, Kaewkes S, Robinson MK, Young ND, **Gasser RB**, Loukas A and Laha T. RNA interference targeting cathepsin B of the carcinogenic liver fluke, *Opisthorchis viverrini*. *Parasitology International*. 60, 283-288.
- [345] Cantacessi C, Campbell BE, Jex AR, Hall RS, Young ND, Ranganathan S and **Gasser RB** (2011) Bioinformatics meets parasitology. *Parasite Immunology*. May 26. doi: 10.1111/j.1365-3024.2011.01304.x. [Epub ahead of print].
- [346] Nolan MJ, Jex AR, Upcroft J, Upcroft P and **Gasser RB** (2011) Barcoding of *Giardia duodenalis* isolates and derived lines from an established cryobank by a mutation scanning-based approach. *Electrophoresis*. 32, 2075-2090.
- [347] Cantacessi C, Campbell BE, Jex AR, Hall RS, Young ND, Nolan MJ and **Gasser RB** (2011) Recent progress in transcriptomics of key gastrointestinal nematodes of animals – fundamental research toward new intervention strategies. Book Chapter - Edited by Conor Caffrey and Paul M. Selzer. **[INVITED]**. Accepted 11.10.2011.
- [348] Young ND, Jex AR, Cantacessi C, Campbell BE and **Gasser RB** (2011) Harnessing genomic technologies to explore the molecular biology of neglected liver flukes of humans and animals. Book Chapter - Edited by Conor Caffrey and Paul M. Selzer. **[INVITED]**. Accepted 11.10.2011.
- [349] Cantacessi C, Young ND, Nesjum P, Jex AR, Campbell BE, Hall RS, Thamsborg SM, Scheerlinck J-P and **Gasser RB** (2011) The transcriptome of *Trichuris suis* – first molecular insights into a parasite with curative properties for key immune diseases of humans. *PLoS One*. 6, e23590.
- [350] Pellegrino MW, Farooqui S, Froehli E, Rehrauer H, Kaeser-Pebernard S, Mueller F, **Gasser RB** and Hajnal A - Lin-39 HOX and the EGFR/RAS/MAPK pathway regulate *C. elegans* vulval morphogenesis via the VAB-23 zinc finger protein. *Development*. 138, 4649-4660.
- [351] **Gasser RB** and Cantacessi C - Heartworm genomics: unprecedented opportunities for fundamental molecular insights and new intervention strategies. *Topics in Companion Animal Medicine*. 26, 193-199. **[INVITED]**
- [352] Islam K, Jabbar A, Campbell BE, Cantacessi C and **Gasser RB** (2011) Bovine theileriosis - an emerging problem in south-eastern Australia? *Infection, Genetics and Evolution*. 11, 2095-2097.
- [353] Jex AR, Liu S, Li B, Young ND, Hall RS, Li Y, Yang L, Zeng N, Xu X, Xiong Z, Chen F, Wu X, Zhang G, Fang X, Kang Y, Anderson GA, Harris T, Campbell BE, Vlaminck J, Wang T,

- Cantacessi C, Schwarz EM, Ranganathan S, Geldhof P, Nejsun P, Sternberg PW, Yang H, Wang J, Wang J, **Gasser RB** (2011) *Ascaris suum* draft genome. *Nature*. 479, 529-533.
- [354] Jex AR and **Gasser RB** - Sequencing and annotation of mitochondrial genomes from individual parasitic helminths. *Parasite Genomics Protocols – Second Edition*; Editor: Christopher Peacock. 01.09.11.
- [355] Wilson RA, Wright JM, de Castro Borges W, Parker-Manuel SJ, Dowle AA, Ashton PD, Young ND, **Gasser RB** and Spithill TW. Exploring the *Fasciola hepatica* tegument proteome. *International Journal for Parasitology*. 41, 1347-1359.
- [356] Otranto D, Latrofa MS, Brianti E, Annoscia G, Parisi A, Dantas-Torres F, Bain O, **Gasser RB**, (2011) An assessment of genetic variability in the mitochondrial cytochrome c oxidase subunit 1 gene of *cercophithifilaria* sp. (spirurida, onchocercidae) from dog and *rhipicephalus sanguineus* populations. *Molecular and Cellular Probes*. Dec 30. doi: 10.1016/j.mcp.2011.12.002

## 2012

- [357] Simpson C, Jabbar A, Mansfield CS, Tyrell D, Croser E, Abraham LA and **Gasser RB** (2012) Molecular diagnosis of sparganosis associated with pneumothorax in a dog. *Molecular and Cellular Probes*. 26, 60-62
- [358] Jabbar A, Khoon ATW, Hui TX, Schaeffner BC, Jex AR, Nolan MJ, Lopata A, **Gasser RB**, Beveridge I. (2012) Mutation scanning-based analysis of anisakid larvae from *Sillago flindersi* from Bass Strait, Australia. *Electrophoresis*. 33, 499-505.
- [359] Cantacessi C and **Gasser RB** (2012) SCP/TAPS proteins in helminths – where to from now? *Molecular and Cellular Probes*. 26, 54-59.[INVITED]
- [360] Ondrovics M, **Gasser RB**, Ruttkowski B, Nisbet AJ and Joachim A (2012) Transcription profiles for two key gender-specific gene families in *Oesophagostomum dentatum* during development *in vivo* and *in vitro*. *Infection, Genetics and Evolution*. 12, 137-141
- [361] Young ND, Jex AR, Li B Liu S, Yang L, Xiong Z, Li Y, Cantacessi C, Hall RS, Xu X, Chen F, Wu X, Zerlotini A, Oliveira G, Hofmann A, Zhang G, Fang X, Kang Y, Campbell BE, Loukas A, Ranganathan S, Rollinson D, Rinaldi G, Brindley PJ, Yang HM, Wang J, Wang J and **Gasser RB** (2012) Whole-genome sequence of *Schistosoma haematobium*. *Nature Genetics*. 44, 221-225.
- [362] Jex AR, Stanley KK, Lo W, Littman R, Verweij JJ, Campbell BE, Nolan MJ, Pangasa A, Stevens MA, Haydon S, **Gasser RB** (2012) Detection of diarrhoeal pathogens in human faeces using an automated, robotic platform. *Molecular and Cellular Probes*. 26, 11-15.
- [363] Osman A, Wang CK, Winter A, Loukas A, Tribolet L, **Gasser RB** and Hofmann A (2012) Hookworm SCP/TAPS protein structure – a key to understanding host-parasite interactions and developing new interventions. *Biotechnology Advances*. 30, 652-657.
- [364] Cantacessi C, Hofmann A, Young ND, Broder U, Hall RS, Loukas A and **Gasser RB** Insights into SCP/TAPS proteins of liver flukes based on large-scale bioinformatic analyses of sequence datasets. *PLoS One*. 7, e31164.
- [365] Cantacessi C, Campbell BE, **Gasser RB** (2012) Key strongylid nematodes of animals - impact of next-generation transcriptomics on systems biology and biotechnology. *Biotechnology Advances*. 30, 469-88. [INVITED]
- [366] Komuniecki R, Law WJ, Jex A, Geldhof P, Gray J, Bamber B, **Gasser RB** (2012) Monoaminergic signaling as a target for anthelmintic drug discovery: Receptor conservation among the free-living and parasitic nematodes. *Molecular and Biochemical Parasitology*. Feb 11. doi: 10.1016/j.molbiopara.2012.02.001 [Epub ahead of print]
- [367] Liu GH, **Gasser RB**, Su A, Nejsun P, Peng L, Lin RQ, Li MW, Xu MJ, Zhu XQ (2012) Clear genetic distinctiveness between human- and pig-derived trichuris based on analyses of mitochondrial datasets. *PLoS Neglected Tropical Diseases* 6 , e1539.
- [368] Wang CK, Broder U, Weeratunga SK, **Gasser RB**, Loukas A, Hofmann A (2012) Sbal: A practical tool to generate and edit structure-based amino acid sequence alignments. *Bioinformatics*. Feb 12. doi: 10.1093/bioinformatics/bts035 [Epub ahead of print]
- [369] Wang CK, Broder U, Weeratunga SK, **Gasser RB**, Loukas A, Hofmann A (2012) Sbal: A practical tool to generate and edit structure-based amino acid sequence alignments. *Bioinformatics*. Feb 12. doi: 10.1093/bioinformatics/bts035 [Epub ahead of print]